

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LAGD 60/125 (Battery)

Other Information: According to UK REACH, the product is an article and is consequently not subject to the requirement for a safety data sheet.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Battery

Inadvisable uses: None.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF UK Ltd
Address: 400 Capability Green
Zip code: LU1 3LU
City: Luton
Country: UNITED KINGDOM
Email: technical.helpdesk.uk@skf.com
Phone: +44 1582 490049
Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures.

Most serious harmful effects: According to UK REACH, the product is an article and is consequently not subject to the requirement for a safety data sheet. The intact article does not pose any danger. This safety data sheet describes the danger of the mixture inside the article. Contact is only possible if the article is not intact. The mixture inside the article has the following hazardous characteristics:

HEALTH
Corrosive.

FIRE AND EXPLOSION
Not flammable, but combustible.

ENVIRONMENT
Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures.

2.3. Other hazards

Intact, closed container: No hazards.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ UK-REACH Reg. No.	Concentration	Notes	CLP-classification
zinc powder - zinc dust (stabilised)	7440-66-6 231-175-3	18 - 44 %		Aquatic Acute 1;H400 Aquatic Chronic 1;H410
manganese dioxide	1313-13-9 215-202-6	0 - 14 %		Acute Tox. 4;H302 Acute Tox. 4;H332
potassium hydroxide	1310-58-3 215-181-3	2 - 6 %		Acute Tox. 4;H302 Skin Corr. 1A;H314 0.5% ≤ C < 2%: Skin Irrit. 2; H315 2% ≤ C < 5%: Skin Corr. 1B; H314 C ≥ 5%: Skin Corr. 1A; H314 0.5% ≤ C < 2%: Eye Irrit. 2; H319
Copper	7440-50-8 231-159-6	2 %		

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Do not induce vomiting. If vomiting occurs, keep head low so that stomach contents do not enter lungs. Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice immediately.
Skin contact:	Immediately remove contaminated clothing, watch and jewellery. Wash skin with soap and water. Seek medical advice immediately.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Intact, closed container: No special precautions required.

In case of leaking battery: Corrosive.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. Ensure that medical personnel are aware of the material involved, and take precautions to protect themselves.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool non-ignited stock.

Unsuitable extinguishing media: Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit but gas-tight suit when close proximity to the substance or its vapours is likely. Wear gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Wear gloves. Wear respiratory protective equipment. Wear safety goggles/face protection.

For emergency responders: In addition to the above: Chemical protective suit equivalent to EN 943-2 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth. Caution! Causes burns.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

To be stored safely out of reach of children and not together with food, feed, medicine and the like. Keep in tightly closed original packaging. Store in a dry area. Do not store with the following: Acids. Avoid direct sunlight. Do not expose to heat (e.g. sunlight).

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

Substance name	Time period	ppm	mg/m ³	Fiber/cm3	Remarks	Comments
potassium hydroxide	15m		2			
Copper	-		1		dusts and mists	
cadmium (non-pyrophoric)	-		0.025			

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020. Control of Lead at Work Regulations 2002. Control of Asbestos Regulations 2012.

8.2. Exposure controls

Appropriate engineering controls: Use the product under well-ventilated conditions. Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection: Intact, closed container: Not required.
In case of leaking battery: Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 16321.

Personal protective equipment, hand protection: Intact, closed container: Not required.
In the event of direct skin contact, wear protective gloves: Type of material: Butyl rubber. Breakthrough time has not been determined for the product. Change gloves often. Gloves must conform to EN 374.

Personal protective equipment, respiratory protection: Intact, closed container: Not required.
In case of risk of formation of spray mist, wear respiratory protective equipment with P2 filter. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Battery
Colour	No data
Odour	No data
Solubility	No data

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Boiling point or initial boiling point and boiling range	No data	
Flammability	No data	
Flammability limits	No data	
Lower and upper explosion limit	No data	
Flash Point	No data	
Auto-ignition temperature	No data	

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water (log value)	No data	
Vapour pressure	No data	
Density	No data	
relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Acids.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Avoid direct sunlight.

10.5. Incompatible materials

Avoid contact with the following: Acids.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: The product does not have to be classified. Test data are not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: In case of leaking battery: Has a caustic burning effect and causes burning pain, reddening, blistering and burning sores if it comes in contact with skin.

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

Serious eye damage/eye irritation:	In case of leaking battery: Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight.
Respiratory sensitisation or skin sensitisation:	The product does not have to be classified. Test data are not available.
Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
Carcinogenic properties:	The product does not have to be classified. Test data are not available.
Reproductive toxicity:	In case of leaking battery: The product contains at least one substance which is a suspected reproductive hazard. The product does not have to be classified. Test data are not available.
Single STOT exposure:	The product does not have to be classified. Test data are not available. Inhalation of vapours may cause irritation to the upper airways.
Repeated STOT exposure:	The product does not have to be classified. Test data are not available.
Aspiration hazard:	The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting properties:	None known.
Other toxicological effects:	Intact, closed container: No hazards.

SECTION 12: Ecological information

12.1. Toxicity

In case of leaking battery: Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

Intact, closed container: No hazards.

Hydrogen gas generating cells do contain lead, and do not contain mercury and cadmium as defined by the European directive 2006/66/EC Article 21.

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

Mercury has not been "intentionally introduced (as distinguished from mercury that may be incidentally present in other materials)" in the sense of the U.S.A. "Mercury-Containing and Rechargeable Battery Management Act" (May 13 1996).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Category of waste: EWC code: Depends on line of business and use, for instance 16 06 04 alkaline batteries (except 16 06 03)

SECTION 14: Transport information

14.1. UN number or ID number:	Not applicable.	14.4. Packing group:	Not applicable.
14.2. UN proper shipping name:	Not applicable.	14.5. Environmental hazards:	Not applicable.
14.3. Transport hazard class(es):	Not applicable.		

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
3.7.0	04/08/2025	SRU	1,8,16

Abbreviations:
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very Persistent and Very Bioaccumulative
STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The

Safety Data Sheet

LAGD 60/125 (Battery)

Replaces date: 04/06/2025

Revision date: 04/08/2025

Version: 3.7.0

Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

Hazard statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Country: GB